

AGROASIA TRACTORS















SMS *(Optional)

Special Features -




THE BEST CHOICE

Specifications*

Engine	Ashok Leyland 6 Cylinder, 98kW (131 HP), Turbo Charged, Trem IV, CRDI Engine
Radiator Dust Protection system	Rotary Air Screen
Cutterbar Width	4.6 m (15 Ft.)
Reel Speed	Reel with Auto [#] Variator, Speed Adjustment from Platform/Cabin
Threshing Drum	Rasp Bar & Spike Tooth Type*, Speed Adjustment with Auto# Variator
Thresher Width/Diameter	1.3 m/0.6 m
Separation System	Rotary Separator + 5 Straw Walkers
Cleaning System	Double Cascading Sieve System, Blower Fan with Variator
Grain Tank Capacity	3000 L
Number of Gears	4 Forward + 1 Reverse
Tyre Size	Front 18.4x30 inch (0.46 m x 0.76 m) Rear 9x16 inch (0.23 m x 0.40 m)
Cabin	AC Cabin
Maize Header	Maize Master 6 & 7 Row Header [^] (Optional)

Fuel saving of 10-15%

Fully trained engineers and worldwide experience on CRDI technology engine





Double Cascading Sieves -

More Cleaning Area

Additional kits available for Sunflower, Pulses, Lodged Conditions etc.

^Blue Series OEM Equipment . #Auto Electrical Variator.

CAPABILITY TO HARVEST MULTI CROPS - YEAR AROUND



Wheat



Green Gram



Paddy



Sunflower



Soybean



Cluster Bean



Chickpea



Fenugreek



Mustard



Pigeon Peas



Black Chickpeas



Safflower



Maize



Coriander



= Litre, m= metre





